



Environment Protection Licence

Licence - 1721

Licence Details

Number:	1721
Anniversary Date:	01-May

Licensee

COOTAMUNDRA-GUNDAGAI REGIONAL COUNCIL

PO BOX 420

COOTAMUNDRA NSW 2590

Premises

GUNDAGAI SEWAGE TREATMENT WORKS

LONDON ST

GUNDAGAI NSW 2722

Scheduled Activity

Sewage treatment

Fee Based Activity

Sewage treatment processing by small plants

Scale

> 100-219 ML annual maximum volume of discharge

Contact Us

NSW EPA

4 Parramatta Square

12 Darcy Street

PARRAMATTA NSW 2150

Phone: 131 555

Email: info@epa.nsw.gov.au

Locked Bag 5022

PARRAMATTA NSW 2124



Environment Protection Licence

Licence - 1721

INFORMATION ABOUT THIS LICENCE	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
1 ADMINISTRATIVE CONDITIONS	6
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Information supplied to the EPA	7
2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND	7
P1 Location of monitoring/discharge points and areas	7
3 LIMIT CONDITIONS	8
L1 Pollution of waters	8
L2 Concentration limits	8
L3 Volume and mass limits	10
L4 Waste	10
L5 Noise limits	10
L6 Potentially offensive odour	11
4 OPERATING CONDITIONS	11
O1 Activities must be carried out in a competent manner	11
O2 Maintenance of plant and equipment	11
O3 Effluent application to land	12
O4 Emergency response	12
O5 Processes and management	12
O6 Other operating conditions	13
5 MONITORING AND RECORDING CONDITIONS	13
M1 Monitoring records	13
M2 Requirement to monitor concentration of pollutants discharged	13
M3 Testing methods - concentration limits	15
M4 Recording of pollution complaints	15
M5 Telephone complaints line	15



Environment Protection Licence

Licence - 1721

M6	Requirement to monitor volume or mass	16
M7	Requirement to record bypass incidents from sewage treatment plants	16
M8	Other monitoring and recording conditions	17
6	REPORTING CONDITIONS	17
R1	Annual return documents	17
R2	Notification of environmental harm	18
R3	Written report	18
R4	Other notifications	19
R5	Annual system performance report	19
7	GENERAL CONDITIONS	20
G1	Copy of licence kept at the premises or plant	20
G2	Contact number for incidents and responsible employees	20
G3	Signage	21
8	POLLUTION STUDIES AND REDUCTION PROGRAMS	21
U1	Rehabilitation of tertiary pond	21
9	SPECIAL CONDITIONS	21
E1	Irrigation Management Plan	21
E2	Irrigation Management Report	22
DICTIONARY		23
	General Dictionary	23

Environment Protection Licence

Licence - 1721

Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).



Environment Protection Licence

Licence - 1721

The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

COOTAMUNDRA-GUNDAGAI REGIONAL COUNCIL
PO BOX 420
COOTAMUNDRA NSW 2590

subject to the conditions which follow.

Environment Protection Licence

Licence - 1721

1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Sewage treatment	Sewage treatment processing by small plants	> 100 - 219 ML annual maximum volume of discharge

A1.2 The objectives of this licence are to:

- a) prevent as far as practicable sewage overflows and sewage treatment plant bypasses;
- b) require proper and efficient management of the system to minimise harm to the environment and public health; and
- c) require practical measures to be taken to protect the environment and public health from sewage overflows and sewage treatment plant effluent.

A1.3 This licence is to be construed in a manner that will promote the objectives referred to in the condition above.

A1.4 This licence authorises the carrying out of the scheduled development work listed below at the premises listed in A2:
Construction of new sewage treatment plant.

A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
GUNDAGAI SEWAGE TREATMENT WORKS
LONDON ST
GUNDAGAI
NSW 2722
LOT 441 DP 751421, LOT 7013 DP 1028155, LOT 6 DP 1154913

A2.2 The premises also includes the reticulation system owned and operated by the licensee that is associated with the sewage treatment plant(s) identified in condition A2.1.

Environment Protection Licence

Licence - 1721

- A2.3 The premises also includes the utilisation area located at the surrounding golf course and adjoining sporting fields.

A3 Information supplied to the EPA

- A3.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

- P1.1 The following utilisation areas referred to in the table below are identified in this licence for the purposes of the monitoring and/or the setting of limits for any application of solids or liquids to the utilisation area.
- P1.2 The following points referred to in the table are identified in this licence for the purposes of the monitoring and/or the setting of limits for discharges of pollutants to water from the point.

Water and land

EPA Identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
5	Discharge to waters Effluent quality monitoring Discharge volume monitoring	Discharge to waters Effluent quality monitoring Discharge volume monitoring	Outlet pipe that discharges into the Murrumbidgee River - as shown as Point 1 on DOC22/689370-4 and -5 provided to the EPA on 13 September 2022
6	Effluent quality monitoring Discharge volume monitoring	Effluent quality monitoring Discharge volume monitoring	Discharge from effluent storage tank to the Bidgee Banks Golf Course reuse area - as shown as Point 2 on DOC22/689370-4 and -5 provided to the EPA on 13 September 2022
7	Effluent quality monitoring Discharge volume monitoring	Effluent quality monitoring Discharge volume monitoring	Discharge from effluent storage tank to Anzac Park, Stan Crowe Oval and Owen Vincent Oval reuse areas - as shown as Point 3 on DOC22/689370-4 and -5 provided to the EPA on 13 September 2022

Environment Protection Licence

Licence - 1721

8	Effluent utilisation area Soil quality monitoring	Utilisation area known as Bidgee Banks Golf course - as shown as Point 4a DOC22/689370-4 and -5 provided to the EPA on 13 September 2022
9	Effluent utilisation area Soil quality monitoring	Utilisation area known as Bidgee Banks Golf course - as shown as Point 4b DOC22/689370-4 and -5 provided to the EPA on 13 September 2022
10	Effluent utilisation area Soil quality monitoring	Utilisation area known as Bidgee Banks Golf course - as shown as Point 4c DOC22/689370-4 and -5 provided to the EPA on 13 September 2022
11	Effluent utilisation area Soil quality monitoring	Utilisation area known as Anzac Park - as shown as Point 5 DOC22/689370-4 and -5 provided to the EPA on 13 September 2022
12	Effluent utilisation area Soil quality monitoring	Utilisation area known as Stan Crowe Oval - as shown as Point 6 DOC22/689370-4 and -5 provided to the EPA on 13 September 2022
13	Effluent utilisation area Soil quality monitoring	Utilisation area known as Owen Vincent Oval - as shown as Point 7 DOC22/689370-4 and -5 provided to the EPA on 13 September 2022
14	Groundwater quality monitoring	Groundwater monitoring bore - as shown as Point 8 DOC22/689370-4 and -5 provided to the EPA on 13 September 2022

3 Limit Conditions

L1 Pollution of waters

- L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.
- L1.2 The licensee may only discharge untreated or partially treated sewage from the sewage treatment plant and/or the reticulation system subject to the conditions of this licence, including Sections O1 and O2.

L2 Concentration limits

- L2.1 For each monitoring\discharge point or utilisation area specified in the table\ below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.
- L2.2 Where a pH quality limit is specified in the table, the specified percentage of samples must be within the specified ranges.

Environment Protection Licence

Licence - 1721

L2.3 To avoid any doubt, this condition does not authorise the pollution of waters by any pollutant other than those specified in the table\.

L2.4 Water and/or Land Concentration Limits

POINT 5

Pollutant	Units of Measure	50 Percentile concentration limit	90 Percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
Ammonia	milligrams per litre		2		5
BOD	milligrams per litre		10		20
Faecal Coliforms	colony forming units per 100 millilitres		200		600
Nitrogen (total)	milligrams per litre		10		20
Oil and Grease	milligrams per litre		2		5
pH	pH		-		6.5-8.5
Phosphorus (total)	milligrams per litre		0.3		0.6
Total suspended solids	milligrams per litre		15		30

POINT 6,7

Pollutant	Units of Measure	50 Percentile concentration limit	90 Percentile concentration limit	3DGM concentration limit	100 percentile concentration limit
Ammonia	milligrams per litre		2		5
BOD	milligrams per litre		10		20
Faecal Coliforms	colony forming units per 100 millilitres		200		1000
Nitrogen (total)	milligrams per litre		10		20

Environment Protection Licence

Licence - 1721

Oil and Grease	milligrams per litre	2	5
pH	pH		6.5-8.5
Phosphorus (total)	milligrams per litre	0.3	0.6
Total suspended solids	milligrams per litre	15	30

L3 Volume and mass limits

- L3.1 For each discharge point or utilisation area specified below (by a point number), the volume/mass of:
- liquids discharged to water; or;
 - solids or liquids applied to the area;
- must not exceed the volume/mass limit specified for that discharge point or area.

Point	Unit of Measure	Volume/Mass Limit
5	-	-
6,7	kilolitres per day	5000

L4 Waste

- L4.1 The licensee must not cause, permit or allow any waste generated outside the premises to be received at the premises for storage, treatment, processing, reprocessing or disposal or any waste generated at the premises to be disposed of at the premises, except as expressly permitted by the licence.
- L4.2 This condition only applies to the storage, treatment, processing, reprocessing or disposal of waste at the premises if those activities require an environment protection licence.
- L4.3 The licensee may receive and/or transfer sewage and Group C waste generated outside the premises for treatment, processing or reprocessing at the premises. The licensee must take reasonable steps to ensure that sewage received at the premises has been lawfully discharged in accordance with a trade waste agreement or customer contract (as applicable) in force between the licensee and the generator of the waste. The licensee must treat, process or reprocess the sewage and Group C waste in accordance with this licence prior to discharge from the premises.
- L4.4 The licensee may receive, store, treat, process or reprocess and/or transfer at the premises sewage products generated or stored outside the premises by the licensee's other sewage treatment systems. Sewage products must be received, treated, processed or reprocessed in accordance with this licence.

L5 Noise limits

Environment Protection Licence

Licence - 1721

Noise Assessment

- L5.1 Should a verified noise complaint be made the licensee must complete a noise assessment at the premises to establish appropriate project specific noise criteria for the operation and to determine compliance with these criteria. The assessment shall be prepared by a suitably qualified and experienced acoustical practitioner and shall be undertaken in accordance with the *NSW Noise Policy for Industry (2017)*.

L6 Potentially offensive odour

- L6.1 No condition in this licence identifies a potentially offensive odour for the purposes of section 129 of the Protection of the Environment Operations Act 1997.

Note: Section 129 of the Protection of the Environment Operations Act 1997 provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

- O1.1 Licensed activities must be carried out in a competent manner.
This includes:
- a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
 - b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

Note: The requirements of O1.1 apply to the whole of the premises, including the reticulation system.

- O1.2 Biosolids at the premises must be stored, treated, processed, classified, transported and disposed in accordance with the Biosolids Guidelines, or as otherwise approved in writing by the EPA.

Note: This condition does not apply to the reuse or disposal of biosolids by the licensee at locations other than the premises.

O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
- a) must be maintained in a proper and efficient condition; and
 - b) must be operated in a proper and efficient manner.

Note: The requirements of O2.1 apply to the whole of the premises, including the reticulation system.

Environment Protection Licence

Licence - 1721

O3 Effluent application to land

- O3.1 The quantity of effluent applied to the utilisation area(s) must not exceed the capacity of the utilisation area(s) to effectively utilise the effluent.

For the purpose of this condition, "effectively utilise" includes the ability of the soil to absorb the nutrient, salt and hydraulic loads and the applied organic material without causing harm to the environment.

- O3.2 Effluent application to the utilisation area(s) must not occur in a manner that causes surface run-off from the utilisation area(s).
- O3.3 Spray from effluent application to the utilisation area(s) must not drift beyond the boundary of the utilisation area(s) to which it has been applied.
- O3.4 Effluent liquid waste pipelines and fittings must be clearly identified. Standard watertaps, hoses and valves must not be fitted to the pipelines of the effluent system. The effluent system must not be connected to other pipelines. Lockable valves or removable handles must be used where there is public access to the effluent.
- O3.5 Adequate notices, warning the public not to drink or otherwise use the treated effluent, must be erected on the site. These notices must be legible English and in any other languages as may be necessary, and must indicate at least that the water in use is "Reclaimed Water - Unfit for Drinking".
- O3.6 Public access to any effluent utilisation area must be denied during effluent application and until the effluent application area has dried.

O4 Emergency response

- O4.1 In the event of an overflow or bypass that harms or is likely to harm the environment, the licensee must use all practicable measures to minimise the impact of the overflow or bypass on the environment and public health. These measures are to be implemented as soon as practical after the licensee or one of the licensee's employees or agents becomes aware of the overflow or bypass.

O5 Processes and management

- O5.1 Sewage or effluent must not be discharged from Point(s) 4 and 5 unless it has been treated in accordance with the requirements of the table below. The flows noted in the table are the inflows to the premises' sewage treatment plant(s).

Required treatment process	Flow range
Primary treatment: inlet works with fine screenings and grit removal; secondary treatment by IDEA reactor with storm overflow provision, an effluent balance tank for attenuation of high effluent flows; tertiary treatment by a VU effluent disinfection system and chlorination	Maximum design instantaneous flow of 70L/s

- O5.2 The licensee must ensure that any extensions to the reticulation system after 1 January 2004 are planned, designed, constructed and installed to prevent as far as practicable overflows from the premises.

Environment Protection Licence

Licence - 1721

Note: "The premises" includes both the new and the previously existing parts of the sewage treatment system.

O6 Other operating conditions

O6.1 The licensee must not enter into any trade waste agreement to discharge organophosphate pesticides (including chlorpyrifos, diazinon, malathion) into the sewerage system.

O6.2 Prohibition on acceptance of pesticides

The licensee must not consent to any discharge of organochlorine pesticides (such as dieldrin, heptachlor and chlordane) into the sewerage system.

O6.3 New sewage pumping stations

Dry weather overflows resulting in pollution of waters from any sewage pumping station(s) installed within the sewerage treatment system after 1 January 2004 are not permitted.

5 Monitoring and Recording Conditions

M1 Monitoring records

M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.

M1.2 All records required to be kept by this licence must be:

- a) in a legible form, or in a form that can readily be reduced to a legible form;
- b) kept for at least 4 years after the monitoring or event to which they relate took place; and
- c) produced in a legible form to any authorised officer of the EPA who asks to see them.

M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:

- a) the date(s) on which the sample was taken;
- b) the time(s) at which the sample was collected;
- c) the point at which the sample was taken; and
- d) the name of the person who collected the sample.

M2 Requirement to monitor concentration of pollutants discharged

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

M2.2 Water and/ or Land Monitoring Requirements

Environment Protection Licence

Licence - 1721

POINT 5,6,7

Pollutant	Units of measure	Frequency	Sampling Method
Ammonia	milligrams per litre	Monthly	Grab sample
BOD	milligrams per litre	Monthly	Grab sample
Faecal Coliforms	colony forming units per 100 millilitres	Monthly	Grab sample
Nitrogen (total)	milligrams per litre	Monthly	Grab sample
Oil and Grease	milligrams per litre	Monthly	Grab sample
pH	pH	Monthly	Grab sample
Phosphorus (total)	milligrams per litre	Monthly	Grab sample
Total suspended solids	milligrams per litre	Monthly	Grab sample

POINT 8,9,10,11,12,13

Pollutant	Units of measure	Frequency	Sampling Method
Available phosphorus	milligrams per kilogram	Quarterly	Composite sample
Cation Exchange Capacity	milliequivalents	Quarterly	Composite sample
Chlorine	milligrams per kilogram	Quarterly	Composite sample
Electrical conductivity	microsiemens per centimetre	Quarterly	Composite sample
Exchangeable calcium	milliequivalents	Quarterly	Composite sample
Exchangeable magnesium	milliequivalents	Quarterly	Composite sample
Exchangeable potassium	milliequivalents	Quarterly	Composite sample
Exchangeable sodium	milliequivalents	Quarterly	Composite sample
Exchangeable sodium percentage	percent	Quarterly	Composite sample
Nitrate	milligrams per kilogram	Quarterly	Composite sample
Organic carbon	percent	Quarterly	Composite sample
pH	pH	Quarterly	Composite sample
Phosphorus Sorption Capacity	milligrams per kilogram	Quarterly	Composite sample

POINT 14

Pollutant	Units of measure	Frequency	Sampling Method
Electrical conductivity	microsiemens per centimetre	Yearly	Representative sample
Nitrogen (nitrate)	milligrams per litre	Yearly	Representative sample
pH	pH	Yearly	Representative sample
Phosphorus (total)	milligrams per litre	Yearly	Representative sample
Standing Water Level	metres (Australian Height Datum)	Yearly	Representative sample

Environment Protection Licence

Licence - 1721

M3 Testing methods - concentration limits

M3.1 Subject to any express provision to the contrary in this licence, monitoring for the concentration of a pollutant discharged to waters or applied to a utilisation area must be done in accordance with the Approved Methods Publication unless another method has been approved by the EPA in writing before any tests are conducted.

M4 Recording of pollution complaints

M4.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.

M4.2 The record must include details of the following:

- a) the date and time of the complaint;
- b) the method by which the complaint was made;
- c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
- d) the nature of the complaint;
- e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
- f) if no action was taken by the licensee, the reasons why no action was taken.

M4.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

M4.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M5 Telephone complaints line

M5.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M5.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

M5.3 The preceding two conditions do not apply until 3 months after: the date of the issue of this licence.

M5.4 For the purpose of condition M5.1, operating hours are defined as twenty-four hours a day, seven days a week.

M5.5 The public notification referred to in condition M5.2 must include specific reference to the fact that the complaints line may be used by the community for the reporting of overflows.

Environment Protection Licence

Licence - 1721

M6 Requirement to monitor volume or mass

M6.1 For each discharge point or utilisation area specified below, the licensee must monitor:

- the volume of liquids discharged to water or applied to the area;
- the mass of solids applied to the area;
- the mass of pollutants emitted to the air;

at the frequency and using the method and units of measure, specified below.

POINT 5

Frequency	Unit of Measure	Sampling Method
Daily during any discharge	kilolitres per day	Flow meter and continuous logger

POINT 6,7

Frequency	Unit of Measure	Sampling Method
Continuous	kilolitres per day	Magnetic flow meter

M6.2 In the event that the licensee cannot comply with a volume monitoring method as required by this licence solely due to the failure or malfunction of essential monitoring equipment, volume may be estimated using another agreed method approved in writing by the EPA. This provision only applies for the duration of the failure or malfunction. The licensee is to rectify the failure or malfunction as soon as practicable.

M6.3 The licensee must:

- submit in writing to the EPA a proposal for a method of volume estimation; or
- use a method of volume estimation already approved in writing by the EPA,

to be used in the event that essential monitoring equipment referred to in the previous condition has failed or malfunctioned.

M7 Requirement to record bypass incidents from sewage treatment plants

M7.1 The licensee must record the following details in respect of each bypass of any of the appropriate treatment processes required by condition O3 which may be reasonably expected to adversely affect the quality of the final discharge:

- the EPA point identification number through which the bypass discharged;
- the date, estimated start time and estimated duration of the bypass;
- the estimated volume of the bypass;
- the level of treatment of the sewage at the STP prior to discharge;
- the probable cause of the bypass;
- any actions taken to stop the bypass happening; and
- any actions taken to prevent the bypass happening again.

M7.2 In addition to the details listed in the previous condition, the licensee must also record classification as a wet or dry weather bypass in respect of each bypass referred to in the previous condition. A dry weather bypass is a bypass that occurs when the flow rate of sewage at the inflow volume monitoring point of the STP does

Environment Protection Licence

Licence - 1721

not exceed 29L/s and a wet weather bypass occurs when this flow is equalled or exceeded at any time during the bypass event.

M7.3 From 31 October 2003 the licensee must record the following details in relation to each observed or reported overflow from the reticulation system and from the sewage treatment plant:

- a) the location of the overflow;
- b) the date, estimated start time and estimated duration of the overflow;
- c) the estimated volume of the overflow;
- d) a description of the receiving environment of the overflow;
- e) classification as a dry or wet weather overflow;
- f) the probable cause of the overflow;
- g) any actions taken to stop the overflow happening;
- h) any actions taken to clean up the overflow; and
- i) any actions taken to prevent the overflow happening again.

M8 Other monitoring and recording conditions

M8.1 Biosolids at the premises must be recorded, monitored and classified in accordance with the Biosolids Guidelines, to the extent that those Guidelines are applicable, or as otherwise approved in writing by the EPA.

Note: This condition does not apply to the reuse or disposal of biosolids by the licensee at locations other than the premises.

M8.2 If biosolids are removed from the premises, the licensee must record the:

- a) date;
- b) estimated weight of biosolids;
- c) identity of the person removing biosolids.

6 Reporting Conditions

R1 Annual return documents

R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:

1. a Statement of Compliance,
2. a Monitoring and Complaints Summary,
3. a Statement of Compliance - Licence Conditions,
4. a Statement of Compliance - Load based Fee,
5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
7. a Statement of Compliance - Environmental Management Systems and Practices.

At the end of each reporting period, the EPA will provide to the licensee notification that the Annual Return is due.



Environment Protection Licence

Licence - 1721

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:

- a) the licence holder; or
- b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

R2 Notification of environmental harm

R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.

R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which they became aware of the incident.

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R3 Written report

R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:

Environment Protection Licence

Licence - 1721

- a) where this licence applies to premises, an event has occurred at the premises; or
- b) where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.

R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.

R3.3 The request may require a report which includes any or all of the following information:

- a) the cause, time and duration of the event;
- b) the type, volume and concentration of every pollutant discharged as a result of the event;
- c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
- d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
- e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
- f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
- g) any other relevant matters.

R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other notifications

R4.1 Where either:

- a) sewage or partially treated sewage is discharged from the premises as a result of a bypass of the sewage treatment plant, or:
- b) an observed or reported overflow has occurred from the reticulation system, and overflow or bypass may pose a risk to public health, the licensee is to promptly give appropriate notification to any parties that are likely to be affected, including:
 - i) the potentially affected community;
 - ii) the Department of Health;
 - (iii) any other government organisation or water utility provider whose administrative role, operations or service provision is likely to be affected or impacted by the overflow or bypass.

R5 Annual system performance report

R5.1 The licensee must supply to the EPA an Annual System Performance Report not later than 60 days after the end of each reporting period.

R5.2

Environment Protection Licence

Licence - 1721

The report is to supplement the Annual Return and must include but need not be limited to:

- a) all monitoring data recorded in accordance with condition M2 for the reporting period;
- b) the total amounts of biosolids, as classified in the Biosolids Guideline, disposed of on-site, off-site and to landfill during the reporting period;
- c) a diagram showing the major process elements, discharge points and monitoring points at the premises' sewage treatment plant(s), where there has been any significant change since the previous reporting period or this information has not been provided previously to the EPA;
- d) the number of dry and wet weather bypasses recorded over the reporting period (recorded in accordance with condition M7);
- e) a breakdown of the total number of complaints received by the licensee during the reporting period in relation to the premises into categories of "odours – sewage treatment plant", "odours – reticulation system", "water pollution – sewage treatment plant", "water pollution – reticulation system" and any other category indicated by the complaints;
- f) a summary of observed, reported or recorded wet weather overflows and observed, reported or recorded dry weather overflows and sewage treatment plant bypasses. These data are to be for the current reporting period and for the four previous twelve-month periods, for which data has been collected. Any significant actions taken to address bypasses or overflows are to be noted;
- g) An annual sustainability assessment of the irrigation area. This assessment must include
 - Summary of the weather conditions for each month of the reporting period
 - The results of soil and groundwater monitoring program
 - Nutrient loading and balance
 - Identification of any adverse trends in the soils or groundwater
 - Proposed action to mitigate these identified adverse trends.

R5.3 The Annual System Performance Report must be presented in a format approved in writing by the EPA.

R5.4 The requirements of R5.2 (d), (e), (f) and (g) apply to the part of the reporting period beginning three months after the date the licence is varied to include this condition.

7 General Conditions

G1 Copy of licence kept at the premises or plant

G1.1 A copy of this licence must be kept at the premises to which the licence applies.

G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.

G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

Note: For the purposes of this condition, "the premises" refers to each Sewage Treatment Plant(s) described in condition A2.1.

G2 Contact number for incidents and responsible employees

Environment Protection Licence

Licence - 1721

- G2.1 The licensee must operate 24-hour telephone contact lines for the purpose of enabling the EPA to directly contact one or more representatives of the licensee who can:
- a) respond at all times to incidents relating to the premises; and
 - b) contact the licensee's senior employees or agents authorised at all times to:
 - i) speak on behalf of the licensee; and
 - ii) provide any information or document required under this licence.
- G2.2 The licensee is to inform the EPA in writing of the appointment of any subsequent contact persons, or changes to the person's contact details as soon as practicable and in any event within fourteen days of the appointment or change.

G3 Signage

- G3.1 The location of EPA point number(s) 1 must be clearly marked by signs that indicate the point identification number used in this licence and be located as close as practical to the point.

8 Pollution Studies and Reduction Programs

U1 Rehabilitation of tertiary pond

- U1.1 By the 31 March 2023 the licensee must have completed the design for the rehabilitation of the disused tertiary pond at the premises. The licensee must engage a suitably qualified expert to complete the design and it must include, but not be limited to, the following:

- Scope of works;
- Proposed timeframe of works;
- Proposed dewatering method for the pond, including where the water is proposed to be taken to and how it is to be treated (if required);
- How the solids will be managed during the dewatering process, proposed methods for the drying of the solids and contingency measures for wet weather; and
- Location of where the solids removed from the pond will be taken.

The licensee must provide this report to the EPA by electronic mail to EPA.Westopsregional@epa.nsw.gov.au by no later than 31 March 2023.

- U1.2 The licensee must complete the works outlined in Condition U1.1 by 31 March 2024, and provide written notification of the completion of works to the EPA by electronic mail to EPA.Westopsregional@epa.nsw.gov.au by no later than 30 April 2024.

9 Special Conditions

E1 Irrigation Management Plan

- E1.1 An Irrigation Management Plan must be developed and provided to the EPA via electronic mail to EPA.Westopsregional@epa.nsw.gov.au for approval by 30 November 2022. The Irrigation Management Plan

Environment Protection Licence

Licence - 1721

must be prepared in accordance with the requirements of the Environmental Guidelines - Use of Effluent by Irrigation (DEC 2004) and must include, but not be limited to:

- a) Details of the proposed soil quality monitoring including locations for monitoring;
- b) Details of management practices that will be implemented on irrigated areas to maintain and manage sustainable hydraulic and nutrient loads. This includes details of volumes to be applied per hectare; and
- c) Management measures to be implemented to ensure public access is controlled during times of irrigation and for four hours after irrigation or until the irrigated area is dry.

The Irrigation Management Plan should be prepared by a person or organisation with qualification and experience in soil science and water quality who are able to provide specialised advice on the impacts of current effluent irrigation practices and on future sustainable management of the irrigated areas.

E2 Irrigation Management Report

E2.1 An Irrigation Management Report is to be submitted with the Annual Return that includes, but is not limited to, the following data:

- A current map of the utilisation area;
- A table with date, time, duration and location of all irrigation of effluent occurring at the utilisation area; and
- Copies of all records in relation to the auditing of the effluent reuse irrigation end user agreement.

Environment Protection Licence

Licence - 1721

Dictionary

General Dictionary

3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
annual return	Is defined in R1.1
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means Environment Protection Authority of New South Wales.
fee-based activity classification	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997

Environment Protection Licence

Licence - 1721

flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

Environment Protection Licence

Licence - 1721

TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non-putrescible), special waste or hazardous waste
Wellhead	Has the same meaning as in Schedule 1 to the Protection of the Environment Operations (General) Regulation 2021.

Mr Terry Knowles

Environment Protection Authority

(By Delegation)

Date of this edition: 13-October-2000

Environment Protection Licence

Licence - 1721

End Notes

- 1 Licence varied by notice 1015684, issued on 19-Sep-2003, which came into effect on 14-Oct-2003.
- 2 EPA Condition ID S40934 amended 13-08-04
- 3 Licence varied by notice 1041228, issued on 07-Oct-2004, which came into effect on 01-Nov-2004.
- 4 Licence varied by notice 1060523, issued on 31-Jul-2006, which came into effect on 31-Jul-2006.
- 5 Licence varied by notice 1079288, issued on 18-Oct-2007, which came into effect on 18-Oct-2007.
- 6 Condition A1.3 Not applicable varied by notice issued on <issue date> which came into effect on <effective date>
- 7 Licence varied by notice 1508756 issued on 18-Feb-2013
- 8 Licence varied by notice 1517315 issued on 24-Mar-2014
- 9 Licence transferred through application 1557498 approved on 09-Oct-2017 , which came into effect on 02-May-2017
- 10 Licence varied by notice 1573284 issued on 07-Mar-2019
- 11 Licence varied by notice 1603837 issued on 18-Feb-2021
- 12 Licence varied by notice 1609932 issued on 20-Jul-2021
- 13 Licence varied by notice 1621413 issued on 07-Oct-2022